DOUBLE the Life... ... HALF the COST!



ABOVE: New A.R.M* Dragline Bucket Heel Protection Package.

produce over 64,000 BCM in a 24 hr period. Seen here after 13.9 million BCM of service. The A.R.M* Hardfaced Jaw is still fine. Standard items can wear to destruction in under 5.0 million BCM on this site. A.R.M* has facilitated a reduction of the production bucket fleet from 3 buckets down to 2 and still move over 14,000,000 BCM per annum.



Contact: Tim Falkenhagen Phone: (07) 3277 9630

Email: armtim@arm.com.au Website: www.arm.com.au


Mobile: 0419 021 470


Increase Profits! Reduce Costs!


Discover the difference

RIGHT: New A.R.M* Hardfaced 130 series adapter.

FAR RIGHT: A.R.M*
130 series adapter
after 3.0 million BCM
of service with no wear
problems. Standard
adapters usually only
last between 20-30
days on this site.









FAR LEFT:

Competitor's attempt to coat a 130 series
Dragline Adapter with
Tungsten Carbide
Hardfacing.
(Note the corners and the pattern around the quick tip).

P&H D

LEFT: This 130 series adapters has washed out on the corners after only 1.8 million BCM. (Not welded by A.R.M*)



Esco 4004 series Wing Shrouds.




CQMS Drag Shackle, A.R.M* Hardfaced to extend the operating life.

agline Bucket options



ragline Bucket Jaw Shrouds A.R.M* Hardfaced.



Dragline Bucket Heel Package after 1.0 Million BCM Dusly 40mm Bis 80 only lasted 1.3 Million before holes appeared in the floor).



A.R.M* Dragline Bucket Heel Package.



BEFORE: 130 series Dragline adapter prior to an A.R.M* rebuild.



AFTER: The same adapter after an A.R.M* rebuild which cost less than 30% of a new adapter price for a complete second life cycle.







P&H Dragline Bucket Lip Shrouds A.R.M* Hardfaced.

LOADER & EXCAVATOR BUCKETS



Jaws 15 Cu. M Bucket built for a 994 Liebherr. Specified with A.R.M* Lip Protection in order to get 12 months production with no maintenance.



Esco V81VX tips — used in tight clay overburden removal.



Esco V69SD tips A.R.M* Hardfaced for a Nickel mine.



ABOVE: 970 Cat stockpile loader in a quarry – these edges lasted 5 times longer than the standard edges.

RIGHT: A.R.M* Hardfacing reduced costs on this loader by \$15.20 per hour – just in wear parts.





A.R.M.* is an abbreviation of the company name Abrasion Resistant Materials

ACN 070 411 522

Contact: Tim Falkenhagen Mob: 0419 021 470

Phone: (07) 3277 9630 **Fax:** (07) 3277 9640

Delivery: 1 Meakin Rd, Meadowbrook, Qld 4131 **Postal:** PO Box 1141, Beenleigh, Qld 4207

Email: armtim@arm.com.au **Website:** www.arm.com.au